E2-TR-F Series
LED TROFFER LIGHT

Wattage & CCT Selectable



WATT/CCT SELECTABLE

The LED Lighting Troffer Series has a wide range of indoor applications. Excellent for offices, hallways, multipurpose rooms, office buildings, conference rooms, supermarkets, stores and many other applications.

Features:

- Energy Efficient: Save up to 80% in energy costs
- High lumen output
- Mercury-free
- Instant-on light
- 50,000 hours at 70% lumen maintenance rated life
- CCT: 3500-5000K
- 5 year manufacturer warranty
- Compatible with most Lutron and Leviton dimmers

Packaging Information:

❖ **E2-TR-F-1x4-20/25/30W-35/40/50K**
1230mm X 307mm X 113mm (2pcs/CTN)
(48.4" X12.1" X 4.4")

❖ **E2-TR-F-2x2-20/25/30W-35/40/50K**
617mm X 610mm X 123mm (2pcs/CTN)
(24.3" X 24.0" X 4.8")

❖ **E2-TR-F-2x4-34/38/45W-35/40/50K**
1227mm X 610mm X 123mm (2pcs/CTN)
(48.3" X 24.0" X 4.8")

SPECIFICATION			
TYPE	E2-TR-F-1x4-20/25/30W-35/40/50K	E2-TR-F-2x2-20/25/30W-35/40/50K	E2-TR-F-2x4-34/38/45W-35/40/50K
WATTAGE	20W/25W/30W	20W/25W/30W	34W/38W/45W
LUMEN	2500 lm/3225 lm/3950lm	2570 lm/3125 lm/3850lm	4250 lm/4758 lm/5715lm
EFFICACY	> 125 lm/W		
CCT	3500K,4000K,5000K		
CRI	> 80		
INPUT VOLTAGE	AC120-277V		
LIGHTING ANGLE	119°		
DIMMABLE	1-10V		
LED TYPE	SMD2835		
PF	> 0.98		
DRIVER EFFICIENCY	> 90%		
PROTECTION LEVEL	Damp		
LIFE TIME	> 75000 hours		
WARRANTY	5 year limited		

LED TROFFER LIGHT

Wattages: 20W/25W/30W and 34W/38W/45W

DIMENSION:



1X4 feet



2X4 feet



2X2 feet

Specifications:

Troffer-14/22/24

Length: 1213MM/603MM/1213MM (47.8"/23.75"/47.8")

Width: 298MM/603MM/603MM (11.75"/23.75"/23.75")

Depth: 50MM/54MM/54MM(2.0"/2.13"/2.13")

Weight: 7.7/6.8/11.4(lbs)

Mounting:

❖ Embedded Installation.

CONTROL MODULE:



LED TROFFER LIGHT

Wattages: 20W/25W/30W and 34W/38W/45W

ACCESSORIES: (SOLD SEPARATELY)



WSD-EMLY15W27-XX
15W Emergency Backup
Battery LED Driver

NEW Fixture Whips

CONTROL (SOLD SEPARATELY)

BRI810-B-M10-BLE
Bluetooth Microwave
Motion Sensor

RC100
Remote
Controller

ACCESSORIES: (SOLD SEPARATELY)

2X2ft SURFACE MOUNT KIT

2X4ft SURFACE MOUNT KIT

1X4ft SURFACE MOUNT KIT

ORDERING INFORMATION:

EXAMPLE:

E2-TR-F-1x4-20/25/30W-35/40/50K

14	E2-TR-F	20/25/30W	35/40/50K
SIZE	PRODUCT	POWER	CCT
14 - (1X4fe) **22** - (2X2ft) **24** - (2X4ft)	**E2-TR-F** LED Troffer Light	**20/25/30-34/38/45W** 20W/25W/30W 34W/38W/45W	**35/40/50K** 3500K/4000K/5000K

LED TROFFER LIGHT

Wattages: 20W/25W/30W and 34W/38W/45W

PHOTOMETRICS:

For complete IES files, please visit our website.

E2-TR-F-1x4-20/25/30W-35/40/50K (30W&3500K)



E2-TR-F-2x2-20/25/30W-35/40/50K (30W&3500K)



E2-TR-F-2x4-34/38/45W-35/40/50K (45W&3500K)



Address: 756 PORT AMERICA PLACE, STE# 810 GRAPEVINE, TX 76051
Email: sales@e2lightingusa.com • Tel: 213 270 1938 Website:www.e2lightingusa.com